

## IN THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) A method comprising:  
  
extracting URLs from electronic communication; and  
  
analyzing the URLs extracted to determine whether the electronic communication is of a first predetermined category, said analyzing comprising  
  
generating one or more signatures using a length of the electronic communication  
  
and the URLs extracted.
2. (Original) The method of claim 1, wherein extracting the URLs comprises extracting at least one of a hostname, a domain name, a subsection of a domain relative link, and an Internet Protocol (IP) address from the electronic communication.
3. (Original) The method of claim 1, further comprising performing a predetermined operation on the electronic communication if the electronic communication is determined to be of the first predetermined category.
4. (Currently amended) The method of claim 1, wherein analyzing the URLs further comprises:  
  
~~generating one or more signatures based on the URLs extracted;~~  
  
selecting one or more of the one or more signatures generated; and

comparing the selected signatures against a plurality of predetermined signatures generated from a plurality of known electronic communications of the first predetermined category.

5. (Currently amended) The method of claim ~~[[4]]~~ 1, wherein generating the one or more signatures further comprises: ~~using a length of the electronic communication to generate the one or more signatures~~

computing a first hash based on the length of the electronic communication;

computing a second hash based on the URLs extracted; and

generating a signature by concatenating the first hash to the second hash.

6. (Currently amended) The method of claim 4, wherein generating the one or more signatures further comprises using at least one of the extracted URLs as at least one of the one or more signatures.

7. (Original) The method of claim 4, wherein generating the one or more signatures further comprises generating the one or more signatures based on at least one of a protocol, a hostname, a domain name, a subsection of a domain relative link, and an Internet Protocol (IP) address from the electronic communication.

8. (Original) The method of claim 4, further comprising classifying the electronic communication to be of the first predetermined category if one of the selected signatures matches one of the plurality of predetermined signatures.

9. (Original) The method of claim 4, wherein the plurality of predetermined signatures is derived from a plurality of electronic documents reported via a collaborative submission mechanism.
10. (Currently amended) A computer-readable storage ~~machine-accessible~~ medium that provides instructions that, if executed by a processor, will cause the processor to perform operations comprising:
- generating one or more signatures of electronic communication using a length of the electronic communication and ~~based on~~ URLs in the electronic communication; and
- determining whether the electronic communication is of a first predetermined category using the one or more signatures generated.
11. (Currently amended) The computer-readable storage ~~machine-accessible~~ medium of claim 10, wherein determining whether the electronic communication is of the first predetermined category comprises:
- selecting one or more of the one or more signatures generated based on a plurality of predetermined criteria;
- comparing the selected signatures against a plurality of predetermined signatures; and
- classifying the electronic communication to be of the first predetermined category if one of the selected signatures matches one of the plurality of predetermined signatures.

12. (Currently amended) The computer-readable storage ~~machine-accessible~~ medium of claim 11, wherein selecting one or more of the one or more signatures generated comprises selecting a signature if the signature represents a domain that was registered within a predetermined period of time.
13. (Currently amended) The computer-readable storage ~~machine-accessible~~ medium of claim 11, wherein selecting one or more of the one or more signatures generated comprises selecting signatures representing one or more of a protocol, a hostname, a domain name, and a subsection of a domain relative link having a predetermined string of letters.
14. (Currently amended) The computer-readable storage ~~machine-accessible~~ medium of claim 10, wherein the operations further comprise extracting the URLs from the electronic communication.
15. (Currently amended) A system comprising:
- a plurality of databases to store a plurality of predetermined signatures of a plurality of known electronic communications of a first predetermined category; and
  - a server, coupled to the plurality of databases, including:
    - a memory device to store a plurality of instructions; and
    - a processor, coupled to the memory device, to retrieve the plurality of instructions from the memory device and to perform operations in response to the plurality of instructions, the operations comprising:

extracting URLs from electronic communication ~~to generate one or more~~  
signatures;

generating one or more signatures using a length of the electronic  
communication and the URLs extracted; and

comparing one or more of the one or more signatures generated against the  
plurality of predetermined signatures stored in the plurality of databases to determine whether  
the electronic communication is of the first predetermined category.

16. (Original) The system of claim 15, wherein the URLs comprises at least one of a  
hostname, a domain name, a subsection of a domain relative link, and an Internet  
Protocol (IP) address.

17. (Original) The system of claim 15, wherein the operations further comprise selecting the  
one or more of the plurality of signatures based on a plurality of predetermined criteria.

18. (Original) The system of claim 15, wherein the operations further comprise performing a  
predetermined operation on the electronic communication if the electronic  
communication is determined to be of the first predetermined category.

19. (Original) The system of claim 15, further comprising a database, coupled to the server,  
to store a plurality of reports from which the plurality of predetermined signatures are  
generated.

20. (Original) The system of claim 15, wherein the plurality of databases are in a remote location from the server.